

STANLEY®



POWER TOOLS CATALOGUE



PERFORMANCE IN ACTION™

www.stanleytoolsindia.com

StanleyBlack&Decker

A LEADING GLOBAL DIVERSIFIED INDUSTRIAL BASED ON REVENUE

#1


IN TOOLS &
STORAGE

#2

IN SECURITY
SERVICES

GLOBAL LEADER


IN ENGINEERED
FASTENING



A FORMIDABLE LEGACY.

177 YEARS

For the builders and protectors, for the makers and explorers, for those shaping and reshaping our world through hard work and inspiration, Stanley Black & Decker provides the tools and innovative solutions you can trust to get the job done — and we have since 1843.



A POWERFUL FUTURE.

POWER TOOL

PRODUCT RANGE

- Drill & Fastening
- Grinder & Chop Saw
- Hammer
- Lithium-Ion Tool
- Construction Saw
- Wood Working

APPLICATIONS & TYPICAL CUSTOMERS

- Construction
- Commercial and Industrial
Renovation
- Facility Installation
- Metal Fabrication



LEADING TRADESMAN POWER TOOLS



STANLEY™ POWER TOOLS™

GETTING THE JOB DONE FASTER, EASIER, BETTER

From Power Tools to Hand Tools and Accessories, Stanley is the only brand providing a wholesome solution for all tradesmen.

For over 170 years, we've built a legacy by producing some of the most well known hand tools and storage products in the world. It's this rich history of innovation that's made Stanley a trusted name and industry pioneer.



STANLEY™ POWER TOOLS™

STANLEY is the longest established and largest hand tool manufacturer in the world.

Since 1843, STANLEY has become a leading name in hand tool industry; we've set the standard for excellence in everything we do. No company on earth has a stronger or more compelling history of delivering the hardworking, powerful and innovational tools that help professionals, tradesmen and consumers around the world.

Whether you're a retailer looking for the best quality products to offer your customers, or a skilled user looking for the best tools, STANLEY is here to serve you.



More than **500**
World's
First SKUs

More than **150**
Patents

More than **150**
Prestigious
Awards





CONTENTS

CORDLESS 10

SCREWDRIVER	11
DRILL DRIVER	11
HAMMER DRILL	12
IMPACT DRIVER	13
2KG SDS+ HAMMER	13

DRILLING & FASTENING 14

ROTARY DRILL	15
HAMMER DRILLS	15

CONCRETE WORKING 16

SDS PLUS HAMMERS	17
CHIPPING HAMMERS	18
DEMOLITION HAMMERS	18
TILE CUTTERS	19

METAL WORKING 20

SMALL ANGLE GRINDERS	21-22
LARGE ANGLE GRINDER	22
BENCH GRINDER	23
CHOP SAW	23
POLISHER	23

WOOD WORKING 24

PLUNGE ROUTER	25
CIRCULAR SAW	25
JIGSAW	25
COMPOUND MITRE SAW	-26
PLANER	26
SHEET SANDER	26-27
TABLE SAW	27

SPECIALITY 28

HEAT GUNS	29
BLOWERS	29
MUD MIXER	30

PRODUCT & ACCESSORIES - PRICE LIST 31

Product - Price List	31
Product Accessories - Price List	32-34

CORDLESS



STANLEY cordless drills are designed for strong performance, quality and precision. The lithium-ion range also boasts about their compact size and light weight. Well suited for challenging drilling and screw driving tasks, the range is quintessential for the tradesman.

Why Cordless ?

SAFETY

- No wires required



EASE OF USE

- Portability
- Ergonomic Design



LONG USAGE

- Li-ion Battery



SCREWDRIVER

SCS4K - 4V Lithium Screwdriver

NEW



- 90min Fast USB Charger Ensures Capable Runtime
- High Working Efficiency and Precise Performance
- 4.5Nm Torque to Meet the General Application Request
- Pivot Design for Quick in-straight and Pistol Operation
- 0.4kg Ultra Light Weight for Comfortable Use

Voltage	4V
No Load Speed	220 rpm
Bit Holder Size	1/4" (6.35mm)
Max Torque	4.5 Nm
Rubber Over-mold	YES
Weight	0.4 KG
Battery	1.5Ah, integrated
Charger	1A USB
Accessory Set	30 PC Bit Set

DRILL DRIVER

SCD121S1 - 12V 1.5Ah Li-Ion Cordless Drill Driver - Single Battery



- High performance motor delivering 0-400/ 0-1500 RPM for maximum power and durability
- Powerful torque(26Nm) for effective drilling and screw driving
- 20 adjustable torque positions with forward/ reverse option for precise screw driving in variety of materials
- Compact size & light weight for optimum handling in tight spaces
- Integrated LED for illumination of dark spaces
- Single battery unit. Additional battery can be purchased separately

Voltage	12V
Battery	1.5 Ah Li-ion
Max Torque	26 Nm
No Load Speed	0-400/0-1500 rpm
Chuck Capacity	10 mm
Weight	1.0 kg

Standard Equipment

Battery Charger, Carton box

SCD20C2K - 18V Drill Driver Kit



- Two speed transmission for optimal speed and torque control
- 45Nm of Torque ideal for drilling in wood and steel
- 24 Torque positions for effective screw driving
- Good ergonomics for better control
- Exceptional durability for less idle time



Voltage	18 V
No Load Speed	0-350/ 0-1500 rpm
Battery	1.3Ah
Torque	45Nm
Chuck	13mm
Clutch Settings	23+1
Weight	1.6kg

SBD201D2K - 18V Brushless Drill Driver

NEW



- Up to 50% extended run time & for incomparable drilling speed (0-430/1700) due to Brushless motor
- Exceptional torque(55Nm) and 23 drilling positions
- 10-15% more compact and Lightweight for ease of use
- Foot Mounted LED helps brighten up work area if working in concealed or tight areas
- 25% better Bit retention compared to tradesman brushed unit
- Exceptional durability for less idle time

Voltage	18 V
Chuck Capacity	13mm
No Load Speed	0-430/1700
MWO	360
Torque	55Nm
Battery Size	2.0 Ah
Charger	1A
Weight(1.5Ah battery)	1.5kg

HAMMER DRILL

SCH121S2K - 12V Li-Ion Hammer Drill Kit



- **TWO COLLAR DESIGN**
for easier & better switch between hammer/rotary drilling & screwdriving
- **COMPACT 10MM SINGLE SLEEVE KEYLESS CHUCK**
Automatic spindle lock for quick, single-handed bit changes
- **23 ADJUSTABLE TORQUE SETTINGS**
For precise screw driving in different materials
- **1.5Ah LI-ION BATTERY**
No memory effect and virtually no self-discharge for maximum productivity

Voltage	12 V
Battery Capacity	1.5 Ah
Max. Torque	26 Nm
No Load Speed	0-350/0-1500 rpm
Beats per minute	0-6000/0-22500 bpm
Chuck Capacity	10 mm
Max. Drilling Capacity	
Wood/Metal/Masonry	20/10/8 mm
Weight	1 kg

SCH20C2K - 18V Li-Ion Hammer Drill Driver

NEW



- 1,500 RPM for faster drilling in concrete and wood
- 45Nm of Torque ideal for drilling and driving
- 25,500 IPM for speed of masonry applications
- 22 Torque positions for effective torque control
- Good ergonomics for better control
- Exceptional durability for less idle time

Voltage	18 V
No Load Speed	0-350/ 0-1500 Rpm
Torque	45Nm
IPM	25,500IPM
Chuck	13mm
Clutch Settings	Settings 22
Battery	1.3Ah Li-Ion
Weight	1.6kg

SBH201D2K - 18V Brushless Hammer Drill Kit

NEW



- Up to 50% extended run time & for incomparable drilling speed (0-430/1700) due to Brushless motor
- Exceptional torque(55Nm) & Impact rate(0-28900) with 23 drilling positions10-15% more compact and
- Lightweight for ease of use
- Foot Mounted LED helps brighten up work area if working in concealed or tight areas
- 25% better Bit retention compared to tradesman brushed unit
- Exceptional durability for less idle time

Voltage	18 V
Chuck	Plastic
Chuck Capacity	13mm
No Load Speed	0-430/1700Rpm
Impact Rate	0-28900IPM
MWO	360
Torque	55Nm
Battery Size	2.0 Ah
Charger	1A
Weight(1.5Ah battery)	1.6kg

IMPACT DRIVER

SCI121S2 - 12V Impact Driver

NEW



- High performance motor delivering 0-2500 RPM for faster work completion
- Powerful torque(110Nm) for effective screw driving applications in metal and concrete
- Best in class durability compared to tradesman competition
- Compact design & light weight for optimum handling in tight spaces
- Integrated LED for illumination of dark spaces

Voltage	12V
Chuck	6.35 mm
No Load Speed	0-2500 rpm
Torque 110	110 Nm
Impact Rate	0-3200 bpm
Battery	1.5Ah Li-Ion
Charger	1.25 A
Weight	1.0 kg

SBI201D2K - 18V BL Impact driver

NEW



- Extended run time & incomparable drilling speed(0-2700) due to Brushless motor
- Exceptional torque(160Nm) and Impact rate(0-3100)
- Compact unit with 15% shorter length design and
- Lightweight for ease of use
- Foot Mounted LED helps brighten up work area if working in concealed or tight areas
- Exceptional durability for less idle time

Voltage	18 V
Chuck	Hex
Chuck Capacity	6.35mm
No Load Speed	0-2700
Impact rate	0-3100IPM
Torque 160	160Nm
Battery Size	2.0 Ah
Charger	1A
Weight(1.5Ah battery)	1.3kg

2KG SDS+ HAMMER

SBR20M2K - 18V Brushless SDS + Rotary Hammer

NEW



- Optimal drilling performance in tradesman level
- Brushless motor offers the better performance
- Compact and light weight for ease use
- Brushless motor offers more durable life than brushed motor
- Acceptable durability at Tradesman level

Motor	18V BL
No Load Speed	0 - 2,200 RPM
Impact Rate	10 - 5,775 bpm
Impact Energy (Max)	2.1J
Chuck	SDS+
Drilling Capacity	20mm
Fuel Gauge	YES
Weight	2.1KG
Battery	4.0 Ah x 2
Charger	2A

DRILLING & FASTENING




STANLEY offers a definitive range of corded drills and a screw-gun for every tradesman need - internal or external. With a choice of power options, chuck capacities, gear configurations and speed variations, no need to look further for your pick.

STDR5510 - 550W 10mm VSR Rotary Drill



- Durable chuck prevents bit loose during operation
- Adjustable variable speed dial allows to pre-set speeds for more control
- Powerful motor for excellent performance and long durability
- Ergonomic hold curve for easy one hand operation
- Reverse function for convenient screw driving
- Lock-on button for one hand control and user safety
- Integrated belt clip allows tool to be carried while freeing up both hands
- Key holder to securely maintain chuck key



Power Input	550 W
Chuck Capacity	1.5-10 mm
Max Torque	14 Nm
No Load Speed	0-2800 rpm
Max. Drilling Capacity	
Wood	25 mm
Steel	10 mm
Weight	1.55 kg


Standard Equipment

Chuck key

SDH550 - 550W 10mm Single Speed Hammer Drill



- 550W powerful motor for excellent performance and durability
- Ultra compact & ergonomic design bring best control
- Best in class durability compared to tradesman competition
- Lock-on button for one hand control and user safety



Power Input	550W
Chuck Capacity	1.5-10 mm
No load speed	2900 rpm
Impact Rate	49,300 BPM
Wood	
	25 mm
Steel	
	10 mm
Masonry	
	10 mm
Weight	1.6 Kg


Standard Equipment

Chuck key

SDH600 - 600W 13mm VSR Hammer Drill



- 600W motor for excellent performance and durability.
- Hammer action for drilling into brick & masonry.
- 2 Mode switch for Drill and Hammer application as per used need
- Speed dial for precise control of speed and torque
- Optimized air vents for efficient cooling
- Side handle to provide additional control
- Depth guide for making correct measurement



Power Input	600 W
Chuck Capacity	1.5-13 mm
Max Torque	22 Nm
No Load Speed	0-2900 rpm
Beats per Minute	0-49300 bpm
Max. Drilling Capacity	
Wood	32 mm
Steel	13 mm
Masonry	16 mm
Weight	1.9 kg


Standard Equipment

Chuck key, Depth guide, Side handle

STDH8013 - 800W 13mm VSR Hammer Drill



- Hammer action for drilling into brick and masonry
- Durable chuck prevents bit loose during operation
- Durable metal gear housing for a long life
- Adjustable variable speed dial control with forward and reverse mode to suit different materials
- High working efficiency due to excellent rotary and impact speed
- Lock-on button for one hand control and user safety
- Rubber grips for maximum user comfort
- Side handle to provide additional control
- Depth guide for making correct measurement



Power Input	800 W
Chuck Capacity	1.5-13 mm
Max Torque	22 Nm
No Load Speed	0-3000 rpm
Beats per Minute	0-54000 bpm
Max. Drilling Capacity	
Wood	32 mm
Steel	13 mm
Masonry	16 mm
Weight	2.4 kg

Standard Equipment

Chuck key, Depth guide, Side handle

CONCRETE WORKING



Highly durable and best-in-class performance - two traits of the STANLEY Concrete range. While the full range of rotary hammers with the SDS-Plus chuck configuration provides excellent power to weight ratio, the demolition hammers with a choice between SDS-Max and Hex Chuck is designed to give comfort during long usages.

CONCRETE DRILLING

2KG HAMMERS



CHIPPING

5KG HAMMERS



DEMOLITION

10KG HAMMERS



TILE CUTTING

TILE CUTTER



STHR202K - 620W 20mm 2 Mode SDS-Plus Hammer




- Ideal for drilling anchor and fixing holes into concrete and masonry up to 20mm in diameter
- 2 Modes: Rotary drilling and hammer drilling
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- Rounded ergonomic industrial design allows easy and comfortable handling in any application
- 2 Finger switch for long duration fatigue free usage
- Side handle for easy 2 hand operation
- Depth guide for drilling accurate pre-determined depths
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	620 W
No Load Speed	0-1250 rpm
Beats per Minute	0-3900 bpm
Impact Energy	1.34 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	25 mm
Metal	13 mm
Concrete	20 mm
Weight	2.8 kg

Standard Equipment

Depth guide, Side handle, Kitbox



SHR263K - 800W 26mm 3 Mode SDS – Plus Hammer



- 800W high performance motor ideal for drilling anchor and fixing holes into concrete and masonry.
- Excellent drilling speed between dia of 8-16 mm in concrete drilling applications
- Good chipping capability for light chipping applications
- Tradesman class leading 42+ hours of consistent durability
- Precisely designed internal parts offering smooth running for longer duration

Power Input	800W
No Load Speed	0-1150rpm
Impact Rate	0-4300bpm
Impact Energy (Max)	3.4J
Tool Holder	SDS-Plus
Variable Speed	YES
Lock-On	YES
Forward/Reverse Mode	YES

Standard Equipment

Chuck key, Depth guide, Side handle



STHR272KS - 850W 26mm 2 Mode L-Shape SDS – Plus Hammer



- With 4.1J of impact energy specially designed to deliver ultimate drilling and chipping power
- 2 Modes: Hammer drilling and chiseling
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- L-Shape design provides compact and slim line tool to maximise control
- Textured handle grip for long duration easy usage
- 2 Finger switch for long duration fatigue free usage
- Carbon brush access caps for easy access and quick change
- Grease cap for easy grease top-up
- Side handle for easy 2 hand operation
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	850 W
No Load Speed	700 rpm
Beats per Minute	3400 bpm
Impact Energy	4.1 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Concrete	26 mm
Weight	5.1 kg

Standard Equipment

Depth guide, Side handle, Kitbox



STHM5KH - 5kg Hex Chipping Hammer



- Hex chuck suitable for most common accessories
- Class-leading 1010W motor delivers outstanding performance for light demolition, surface preparation or chiseling
- Ergonomic and compact design maximises control and offers easy access to confined spaces
- Large hammer mechanism delivers extreme durability and excellent concrete breaking performance
- Modular design allows quick access to key components for faster and cheaper service
- Anti Vibration handle with spring delivers extremely low vibration and more comfort
- Rubber grip handle improve user comfort lowering fatigue during extended use
- 360 Degree side handle maintains user comfort in any application
- ON/OFF rocker switch for hassle-free continuous usage
- Carbon brush access caps for easy access and quick change

Power Input	1010 W
Beats per Minute	2900 bpm
Impact Energy	8.5 J
Tool Holder	Hex
Weight	6.3 kg

Standard Equipment

1 Chisel, Side handle, Grease cap opener, Kitbox



STHM10K - 10kg SDS Max Demolition Hammer




- Powerful and durable 1600 Watt motor delivers outstanding concrete breaking performance for all heavy demolition applications
- Ergonomic line design ensures user comfort during any application
- Large hammer mechanism delivers maximum durability and excellent concrete breaking performance
- Rubber grip handle improve user comfort lowering fatigue during extended use
- 360 Degree side handle maintains user comfort in any application
- Electronic variable speed and impact control dial for total control with smaller bits and light material
- Service indicator identifying brush replacement and service need
- ON/OFF rocker switch for hassle-free continuous usage
- Soft start feature ensures accurate clean breaking without chisel walking
- Heavy duty type kit box for safe storage under job-site conditions

Power Input	1600 W
Beats per Minute	900-1890 bpm
Impact Energy	5-25 J
Tool Holder	SDS Max
Weight	10.5 kg

Standard Equipment

1 Chisel, Side handle, Kitbox



STHR323K - 1250W 32mm 3 Mode L-Shape SDS-Plus Hammer



- Ideal for drilling anchor and fixing holes into concrete and masonry up to 32mm in diameter
- 3 Modes: Rotary drilling, hammer drilling and chiseling mode for all job-site applications
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- L-Shape design provides compact and slim line tool to maximise control
- 2 Finger switch for long duration fatigue free usage
- Service and brush wear indicators identifying brush replacement and service need
- Carbon brush access caps for easy access and quick change
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	1250 W
No Load Speed	0-850 rpm
Beats per Minute	0-4100 bpm
Impact Energy	3.5 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	40 mm
Metal	13 mm
Concrete	32 mm
Weight	5.4 kg

Standard Equipment

Side handle, 13mm chuck, Kitbox



STSP125 - 1320W 125mm Tile Cutter



- Powerful 1320W motor for highest working efficiency
- 125mm capacity guard for all job-site applications
- High capacity gear set for less vibration, lower noise & longer life span
- Height adjustable shoe allows user to cut at various depths
- Soft handle grip for long duration easy usage
- Lock-off switch to prevent accidental action
- Lock-on button for fatigue-free continuous running
- Carbon brush access caps for easy access and quick change

Power Input	1320 W
Wheel Diameter	125 mm
Bore Size	20 mm
No Load Speed	13500 rpm
Depth of Cut	41 mm
Weight	3.1 kg

Standard Equipment
Wrench, Key, Wet Kit



STSP110 - 1200W 100mm Tile Cutter

NEW



- Powerful 1200W motor for highest working efficiency
- 100mm capacity guard for all job-site applications
- Height adjustable shoe allows user to cut various depths
- Lock-on button for fatigue free continuous running
- Carbon brush access caps for easy access and quick change

Power Input	1200W
Wheel Diameter	100mm
Bore Size	20mm
No Load Speed	13500rpm
Depth of Cut	41mm
Weight	3.1kg

Standard Equipment
Wrench, Key, Wet Kit



METAL WORKING



Resulting in faster material removal while grinding and greater accuracies & comfort while cutting, the STANLEY high performance metal working tools have been developed to combine excellent power to weight characteristics with out standing ergonomics. They deliver the versatility, power and life that is demanded by a tradesman.


METAL REMOVAL

GRINDERS



METAL CUTTING

CHOPSAW



METAL GRINDING

BENCH GRINDER



POLISHING

POLISHER



STGS6100 - 600W 100mm Small Angle Grinder




- Powerful motor for carrying out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling

Power Input	600 W
No Load Speed	12000 rpm
Max. Disc Diameter	100 mm
Spindle Thread	M10
Weight	1.55 kg

Standard Equipment

Protective guard, Inner and outer disc flanges, Spanner



STGS7100 - 710W 100mm Small Angle Grinder




- Powerful motor for carrying out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling

Power Input	710 W
No Load Speed	11000 rpm
Max. Disc Diameter	100 mm
Spindle Thread	M10
Weight	1.8 kg

Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



STGT8100 - 100mm 850W Toggle Switch Small Angle Grinder

NEW



- 850W Powerful Motor With High Working Efficiency,
- Designed For Heavy Duty Job
- Ergonomic Design Provides Excellent Balance And Less
- Vibration
- Longest Durability In Its Class


Power	850 W
No Load Speed	11,000 rpm
Switch Type	Switch Type Slide
Spindle Size	M10
Disc Size	100 mm
Cable Length	2.5 m
Net Weight	2.2 kg



STGS9100 - 900W 100mm Small Angle Grinder



- Powerful motor for carrying out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling



Power Input	900 W
No Load Speed	11000 rpm
Max. Disc Diameter	100 mm
Spindle Thread	M10
Weight	2.1 kg

Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner

STGS9125 - 900W 125mm Small Angle Grinder



- Powerful motor designed for heavy duty jobs to carry out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling



Power Input	900 W
No Load Speed	11000 rpm
Max. Disc Diameter	125 mm
Spindle Thread	M14
Weight	2.2 kg

Standard Equipment


Protective guard, Inner and outer disc flanges, Side handle, Spanner

SL227 - 2200W 180mm Large Angle Grinder

NEW



- 450 hours long durability life in Tradesman class
- Over 200 hours of 1st brush life with lower temperature rise enhancing the motor durability
- 3700W MWO meets the moderate to heavy duty application request
- 15mm shorter tool length and 14% lightweight for easy control and long time working



Rated Power	2200W
No Load Speed	8500 rpm
Guard Diameter	180mm
Soft-Start	NA
Weight	4,3KG


STGB3715 - 373W 152mm Bench Grinder



- Powerful 373W motor
- Accepts cotton buffing and wire brush wheels
- Sturdy cast iron base with rubber mounts

Power Input	373 W
No Load Speed	3450 rpm
Wheel Diameter	152 mm
Wheel Width	16 mm
Bore Size	12.7 mm
Weight	8.6 kg

Standard Equipment
2 Tool rest, 2 Eye shield




SSC22 - 2200W 355mm Chop Saw



- High power abrasion protected motor delivers high overload capabilities for greater durability
- Ergonomic design for a good handling and less user fatigue
- Quick release clamp results in less time in changing the work piece
- Spindle lock for quick and easy wheel change
- Adjustable spark guard allows user to control the direction of the sparks coming from the machine
- Heavy duty guard for maximum user protection

Power Input	2200 W
No Load Speed	3800 rpm
Wheel Diameter	355 mm
Max. Cutting Capacity at 90°	
Square Profile	115x115 mm
Rectangular Profile	115x130 mm
L-Shape Profile	115x137 mm
Rounded Profile	125 mm
Max. Cutting Capacity at 45°	
Square Profile	98x98 mm
Rectangular Profile	105x95 mm
L-Shape Profile	95 mm
Rounded Profile	115 mm
Weight	15.5 kg

Standard Equipment
1 Wheel, Hex Wrench



SP137 - 1300W 180mm Polisher



- Powerful 1300W motor for long life and performance
- Soft start & constant speed module for smooth finish
- Velcro backing pad for easy replacement

Rated Power	1300W
Max Pad Size	180mm
No Load Speed	500-3600 rpm
Speed Control	Constant Speed
Aux Handle	D Handle
Weight	3.2kg

Standard Equipment
1 Wheel, Hex Wrench



WOOD WORKING




Resulting in fast and smooth operation with greater accuracies & comfort while performing the task, the STANLEY high performance wood working tools have been developed for excellent performance. They deliver the versatility, power and life that is demanded by a tradesman.

SANDING
SANDERS



WOOD CUTTING
JIGSAWS



WOOD CUTTING
MITRE SAW



WOOD REMOVAL
PLANER



DESIGN /SHAPING
PLUNGE ROUTER



SRR1200 - 1200W Plunge Router




- 1200W motor for long life and high performance
- Flat motor housing enables upside down, easier bit changes
- Variable speed gives the user more control to prevent burning of the material being shaped
- Large side handles give a sure grip for improved safety and control
- Spindle lock for easy cutter change
- Anti-static shoe coating for precise guidance on work piece and high comfort of use
- Aluminium shoe, hardwearing for long life time
- Safety lock-off trigger to avoid starting the tool accidentally
- Triple depth presetting for adjusting plunge depth allows precise working in several steps
- 3 collets provided to suit all shank sizes up to 8mm

Power Input	1200 W
No Load Speed	8000-27000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6,6,25,8mm
Max. Cutter Dia.	30 mm
Weight	4 kg

Standard Equipment

6 Router bits, Spanner, 6/6,25/8mm collet



SC16 - 1600W Circular Saw



- Best-in-Class 1600W motor with optimized transmission to deliver highest productivity amongst all Tradesman units
- Cutting depth upto 65mm & 190mm guard size suitable for all accessory
- Consistent cutting accuracy in the range of 0° to 45°, with good finishing quality
- Robust & optimized design ensures best in class durability
- Ergonomics handle design for long time comfortable working
- Low vibration for comfortable use

Rated Power	1600W
No Load Speed	5500 rpm
Max Disc size	190mm
Max Cutting Depth at 90	65mm
Bevel Cutting	45 degree
Fine Adjustment	YES
Weight	3.9KG

Standard Equipment

36 Teeth blade



SJ45 - 450W Variable Speed Jigsaw



- Powerful & optimum 450W motors with high efficiency in its class, to ensure effective cutting on heavy load applications.
- Robust & Optimized design at motor, transmission, blade clamp and base ensures Best-in-Class durability
- Compact tool size and excellent Power to Weight ratio

Power Input	450 W
Variable Speed	500 to 3000 rpm
Max Cutting	65 mm
Pendulum	NO
Stroke Length	19 mm
Blade Clamp	Keyed
Bevel Cutting	±45°
Weight	1.8 Kg



SJ60 - 600W Variable Speed Pendulum Jigsaw



- Powerful & optimum 600W motor with high efficiency in its class, to ensure effective cutting on heavy load applications.
- Robust & Optimized design at motor, transmission, blade clamp and base ensures Best-in-Class durability
- Compact tool size and excellent Power to Weight ratio

Power Input	600 W
Variable Speed	500 to 3000 rpm
Max Cutting	75 mm
Pendulum	YES
Stroke Length	19 mm
Blade Clamp	Keyless
Bevel Cutting	±45°
Weight	1.9 Kg

SM16 - 1650W Compound Miter Saw




- LED shadow cut line for 100% accurate cuts and better illumination
- Convenient Lock-off Trigger switch
- Optimized arm design for biggest cutting capacity
- Repetitive Cut Lock-stop

Rated Power	1650W
No Load Speed	4800/min
Max Blade Size	254mm
Bevel cut Range	0° – 45°
Mitre Cut Range	47° to 52°
Cut Line Guidance	YES
Repetitive Length Cut	230 to 400mm
Weight	10,5kg

Standard Equipment

32 Teeth Blade, 80 Teeth blade, Vertical Clamp Wrench, Dust Bag

STPP7502 - 750W 2mm Planer



- Robust and powerful 750W motor provides smooth results, even in hard wood and at maximum depth of cut
- 2 high quality reversible TCT blades ensure maximum life and a superior finish
- The choice of left or right chip ejection makes the planer more comfortable to use
- 2mm depth of cut ensures a large amount of wood can be removed in one pass
- 0.2mm depth of cut setting for increased accuracy
- 12mm maximum rebate depth broadens the applications
- Easy empty dust bag for more flexibility and a cleaner working environment
- 3 different sized chamfer grooves for easy and precise shaping of wood
- Park rest protects both the workpiece and the blades
- Parallel fence for more control and accuracy

Power Input	750 W
No Load Speed	16500 rpm
Maximum Depth of Cut	2 mm
Rebating Depth	12 mm
Planer Width	29 mm
Shoe Length	82 mm
Weight	2.8 kg

Standard Equipment

2 TCT blades, Parallel fence, Wrench, Dust bag, Vac adaptor

SS24 - 240W 1/4 Sheet Sander

NEW



ERGONOMICS

- Compact design with lower height to give better balance and control
- Rubber gripping surfaces for comfortable handling
- Dust extraction system for better work environment

DURABILITY

- Longer hanging life and first brush life ensure longest durability in class
- Longer ABR life to provide high-qualified machine in severe application environment

Rated Power	240W
No Load Speed	16,000 OPM
Orbital Dia.	1.4mm
Sanding Pad Size	110 x 104 mm
Sanding Paper Size	140 x 115mm
Switch Type	Rock
Dust-Sealed Switch	Yes
Dust Extraction	Yes
Weight	1.1kg

Standard Equipment

1 Sanding Sheet, Dust bag, Punch

Ss28 - 280W 1/3 Sheet Sander



- 280W Powerful motor with higher sanding efficiency to provide optimal removal rate in different materials
- 14000/min higher speed with low vibration to deliver optimal sanding result to End-user
- Two finger trigger switch with lock-on button to ensure continuous and comfortable usage
- Rubber gripping surfaces for comfortable handling, auxiliary handle for better control
- Long brush life and ABR life giving best in class durability

Rated power	280W
No load speed	14,000 OPM
Orbital diameter	2mm
Sanding pad size	91x185mm
Sanding paper size	93x230mm
Two finger switch	Yes
Lock-on button	Yes
Net weight	1.5Kg



SS30 - 300W Variable Speed Random Orbital Sander



- 300W Powerful motor with higher efficiency for optimal removal rate in different application
- 0-13000/min variable speed with extreme low vibration to deliver optimal sanding result to End-user
- High product life and first brush life thereby ensuring best in class durability
- Compact design with lower height to give better balance and control
- Rubber gripping surfaces for comfortable handling
- Dust extraction system for a better work environment

Rated power	300W
No load speed	0-13000 OPM
Orbital diameter	2mm
Sanding pad size	125mm
Switch type	Rock
Dust-sealed switch	Yes
Dust extraction	Yes
Brake function	Yes
Net weight	1.4Kg



SST1801 - 1800W 254mm Table Saw

NEW



- Self-aligning fence design ensures high cut accurate
- Dovetail shape fence slot helps fence setup w/o any deviation
- Smart bi-scale reading
- Tool free extendable table
- Over 150 hours consistent durable heavy load life

Power Input	1800W
Max Blade Size	254mm
No Load Speed	4800 rpm
Cutting depth at 90°	80mm
Cutting depth at 45°	50mm
Max Bench Size	560mm x 680mm
Max Exten, Bench Size	560mm x 1040mm
Rip Capacity	660mm
Riving Knife Thickness	2.5mm
Stand	Foldout
Tool Weight	27.2 kg



SPECIALITY




STANLEY Offers versatile tools to be part of this popular range. Heat Gun can be used to remove, solder, deform, etc and a Blower which can be used both as a blower and a vacuum.

STXH2000 - 2000W Variable Speed Heat Gun



- 2 speed heat gun with variable heat control giving maximum control in all heat gun applications
- Variable heat setting for material appropriate working and a large variety of applications
- Ergonomic handle design for comfortable use even over extended periods of time
- Lock-on switch for comfortable, hands-free use
- Standing facility allows using both hands for soldering or bending operations

Power Input	2000W
Operating Temperature	50-450 / 90-600 °C
Air Flow	300/500 l/min
Weight	0.8 kg




SXH1800 - 1800W 2 Speed Heat Gun



- 1800W 2 speed Heat Gun giving optimum control in variety of applications
- Ergonomic handle design for comfortable use over extended period of time
- Standing facility allowing both hands for soldering or bending applications

Power Input	1800W
Operating Temperature	500° - 600°C
Air Flow	300 - 500 l / Min.




SPT500 - 500W Single Speed Blower



- 500W powerful motor for higher tool performance
- Light and compact design for ease of handling
- Optimized fan structure for better air flow
- Lock-on button for one hand control and user safety
- Rubber nozzle for greater flexibility during work

Power Input	500 W
Air Flow	3.5 m ³ /min
No Load Speed	16000 rpm

Standard Equipment
Tube, Dust bag




STPT600 - 600W Variable Speed Blower



- 600W powerful motor for higher tool performance
- 2 Tools in 1: Blower and vacuum cleaner
- Light and compact design for ease of handling
- Optimized fan structure for better air flow
- Variable speed option for easy control of airflow
- Lock-on button for one hand control and user safety
- Rubber nozzle for greater flexibility during work
- Suction mode used in restricted application areas

Power Input	600 W
Air Flow	3.5 m ³ /min
No Load Speed	16000 rpm
Weight	1.7 kg

Standard Equipment
Tube, Dust bag



SDR1400 - 1400W Paint Mixer

NEW



- Delivering 2 speed Variable speed with soft start for efficient mixing
- Power- Appropriate motor torque
- Multi-use for tradesman environment
- D-shape twin-handle design & light weight

Power Input	1400W
Speed Mode	2 Speed
No load speed	0-480rpm, 0-800rpm
Variable Speed	YES
Tool fitting/clamp thread	M14 X 2
Mixing paddle (Ø)	140mm
Mixture volume	120L
Cable	2m PVC cable
Soft start function	YES
Soft Grip on handle	YES
Accessories	1pc two-section paddle 2pcs 22# wrench
Packaging	Color box
Weight (working unit)	3.5Kg



POWER TOOLS - PRICE LIST

Material	Material Description	MRP in ₹
CONSTRUCTION		
SHR263K-IN	26mm 850W 3Mode Hammer	10,190.00
STHM10K-IN	10Kg L-shape Demo Hammer (SDS Max chuck)	21,500.00
STHM5KH-IN	5 Kg Chipping Hammer 17mm hex chuck (IN)	11,500.00
STHR202K-IN	20 mm 620W 2 Mode 2Kg SDSplus Hmnr Drill	6,000.00
STHR272KS-IN	26mm 850W 2Mode 4Kg L-Shape Rotary Hr Kt	7,950.00
STHR323K-IN	32mm 3Mode 1250W LShaped SDS+ Hammer + K	11,700.00
STSP125-IN	1320W 5" Tile Cutter	4,250.00
STSP110-IN	1200W 4" Tile cutter	3,800.00
CORDLESS		
SCD121S1-IN	10.8V 1.5Ah Li-Ion Drill 1 Battery	7,000.00
SCH121S2K-IN	10.8V Li-Ion Hammer Drill	9,200.00
SCS4K-B1	4V Screwdriver	3,500.00
SCD20C2K-B1	18V - 1.3 Ah Drill driver	14,500.00
SBD201D2K-B1	Brushless 18V - 2Ah Drill driver	21,000.00
SCH20C2K-B1	18V - 1.3 Ah Hammer Drill	16,250.00
SBH201D2K-B1	Brushless 18V - 2 Ah Hammer Drill	19,750.00
SCI121S2-B1	10.8V - 1.5 Ah Impact Drill driver	13,000.00
SBI201D2K-B1	18V - 2 Ah Impact Drill driver	18,750.00
SBR20M2K-B1	Brushless 18V - 2Kg SDS+ hammer	32,250.00
DRILLS & FASTENING		
SDH550-IN	550W 10mm Hammer Drill	3,100.00
SDH600-IN	600W 13mm Percussion Drill	4,295.00
STDH8013-IN	800W 13 mm Hammer Drill	4,600.00
STDR5510-IN	550 W 10mm Rotary Drill	3,100.00
METAL WORKING		
SSC22-IN	2200W 355mm Chopsaw	12,000.00
STGB3715-IN	1/2 HP Bench Grinder	6,750.00
STGS6100-IN	610W Small Angle Grinder 115 mm	2,800.00
STGS7100-IN	710W Small Angle Grinder 100 mm	3,300.00
STGS9100-IN	900W Small Angle Grinder 100 mm	3,450.00
STGS9125-IN	900W Small Angle Grinder 125 mm	3,750.00
SL227-IN	2200W 7" LAG	8,950.00
STGT8100-IN	4" 850W Toggle switch SAG	3,450.00
SPECIALITY		
SPT500-IN	500W Blower	2,800.00
STPT600-IN	600W Variable Speed Blower	3,200.00
STXH2000-IN	2000W Heat Gun	2,250.00
SXH1800-IN	1800W 2 Speed Heat Gun	1,850.00
SP137-IN	1300W 180mm Polisher	10,000.00
WOOD WORKING		
SC16-IN	1600W Circular Saw	6,990.00
SJ45-IN	450W Variable Speed Jigsaw	4,300.00
SJ60-IN	450W Variable Speed Jigsaw	5,200.00
SRR1200-IN	1200W Variable Speed Plunge Router	8,000.00
SS28-IN	1/3 280W Sheet Sander	4,200.00
SS30-IN	5" 300W Variable Speed Random Orbital Sander	5,100.00
STPP7502-IN	750W 2mm Planer	6,100.00
SM16-IN	1600W 10" Compound Mitre Saw	21,500.00
STSS025-IN	220W 1/4 Sheet Sander	3,775.00
SS24-IN	240W 1/4 Sheet Sander	3,775.00

SPARES - PRICE LIST

Part No.	Description	Tool Model	MRP in ₹
90592489	ARMATURE SA	STHR223K-IN	1,918
90592455	BRUSH SA		204
90592490	FIELD SA		1,755
90590899	SWITCH		962
Z60305016	FIELD SA	STHM5KH-IN	1,013
N769625	BRUSH PAIR		74
4050305601	SWITCH		411
N602553	ARMATURE SA		1,733
4240206002	BRUSH PAIR	STSP125-IN	82
Z60324015	FIELD SA		636
4240205601	SWITCH		123
4240650003	ARMATURE SA		1,167
60303020	FIELD SA	STHR272KS-IN	1,663
4031606001	BRUSH PAIR		240
4030305003	SWITCH		213
4031650003	ARMATURE SA		2,086
4050305601	SWITCH	STHM10K-IN	411
N769624	BRUSH PAIR		247
60305019	FIELD SA		1,904
N736751	ARMATURE SA		2,798
60310014	FIELD SA	STDR5510-IN	520
4100405601	SWITCH SA		353
4100406601	BRUSH PAIR		148
4100450001	ARMATURE SA		959
1004526-19	SWITCH	STPP7502-IN	318
1004526-27	ARMATURE SA		1,422
1004526-47	FIELD		993
1004526-16	BRUSH PAIR		25
5170011-22	ARMATURE 220/240V	STPT600-IN	991
5170011-26	FIELD 220/240V		854
5170011-30	SWITCH		181
5170011-50	BRUSH PAIR		93
1004086-01	PCB	STXH2000-IN	664
1004088-00	MOTOR		403
1004098-00	HEATING ELEMENT		533
1004101-00	SWITCH		163
6010358-44	ARMATURE	STGB3715-IN	1,504
6010358-46	FIELD		2,912
6010358-51	SWITCH		180
6010358-53	WHEEL GRINDING 36 GRIT		641
5140145-40	ARMATURE SA	STHR323K-IN	2,357
5140145-39	FIELD SA		1,358
5140145-21	BRUSH PAIR		218
5140145-29	SWITCH		900
60314058	FIELD SA	STGS7100-IN	441
4140305605	SWITCH SA		117
N769622	BRUSH PAIR		85
4140350003	ARMATURE SA		504
60314069	FIELD SA	STGS6100-IN	490
N769622	BRUSH PAIR		85
4141705001	SWITCH SA		92
4149250003	ARMATURE SA		482

SPARES - PRICE LIST

Part No.	Description	Tool Model	MRP in ₹
5170011-22	ARMATURE 220/240V	SPT500-IN	991
5170011-26	FIELD 220/240V		854
5170011-30	SWITCH		181
5170011-50	BRUSH PAIR		93
1004516-02	MOTOR	SXH1800-IN	181
1004516-07	HEATING ELEMENT		456
1004516-13	SWITCH		139
60302010	FIELD SA	SDH600-IN	438
4020706001	BRUSH		57
4020705003	SWITCH		287
4020850001	ARMATURE SA		595
90531913	SWITCH	STSS025-IN	68
90532168	FIELD SA 230V		960
90595457	ARMATURE SA		968
90540050	BRUSH & HOLDER SA		190
90532017	SWITCH SA	STSJ0600-IN	127
90559684	ARMATURE SA		1,007
90559685	FIELD SA		1,027
90549938	BRUSHBOX SA		120
50302013	ARMATURE	STDH8013-IN	927
60302008	FIELD SA		668
4030106003	BRUSH PAIR		235
4100405601	SWITCH SA		353
60302010	FIELD SA	SDH550-IN	438
4020706001	BRUSH		57
4020805001	SWITCH		285
4020850001	ARMATURE SA		595
60303021	FIELD SA	STHR202K-IN	517
4030106003	BRUSH PAIR		235
4030105604	SWITCH SA		517
4030150004	ARMATURE SA		976
60314059	FIELD SA	STGS9100-IN	826
N769623	BRUSH PAIR		93
4140305605	SWITCH SA		117
4141450009	ARMATURE SA		518
60314059	FIELD SA	STGS9125-IN	826
N769623	BRUSH PAIR		93
4140305605	SWITCH SA		117
4141450009	ARMATURE SA		518
N465512	FIELD SA 230V	SHR263K-IN	927
N769626	BRUSH PAIR 230V		132
N468884	SWITCH		579
N505287	ARMATURE 230V		1,150
5170025-27	SWITCH	SRR1200-IN	518
5170025-33	ARMATURE		1,704
5170025-52	FIELD		895
5170025-59	BRUSH PAIR		159
N485672	BRUSH	SSC22-IN	269
60313008	FIELD SA		1,600
N473310	SWITCH SA		499
N534363	ARMATURE 230V		2,296

SPARES - PRICE LIST

Part No.	Description	Tool Model	MRP in ₹
N543768	SWITCH	SJ60-IN	135
N568940	BRUSH		48
N579962	FIELD SA		652
N588354	ARMATURE SA		969
N544375	SWITCH	SJ45-IN	392
N568940	BRUSH		48
N579964	FIELD SA		573
N579298	ARMATURE SA		908
5140231-58	BRUSH	SS28-IN	29
5140231-82	FIELD SA		685
5140231-84	SWITCH		354
5170034-24	ARMATURE SA		1,428
N580293	STATOR	SC16-IN	771
N580300	SWITCH SA		245
N580276	BRUSH SA		120
N638614	ARMATURE SA		1,537
5140231-22	BRUSH SA	SS30-IN	365
5140231-23	SWITCH		146
5140231-25	STATOR		749
5140231-44	ROTOR		1,591
N616358	FIELD SA	SP137-IN	960
N480786	BRUSH PAIR		117
N543768	SWITCH		135
N677434	ARMATURE SA		1,872
5140235-20	MOTOR SA	SCS4K-IN	490
5140235-21	PCB		2,390
5140235-22	SWITCH		36
5140235-50	CHARGER		493
4030106003	BRUSH PAIR	SS24-IN	235
N678582	SWITCH SA		71
N678350	FIELD SA		533
N723821	ARMATURE SA		672
5170035-92	ROTOR SA	SM16-IN	2,387
5170035-95	STATOR		2,168
5170036-34	SWITCH		902
5170036-69	BRUSH PAIR		219
60314059	FIELD SA	STGT8100-IN	826
N769623	BRUSH PAIR SA		93
4141405601	SWITCH SA		64
4141450009	ARMATURE SA		518
N642071	FIELD SA	SL227-IN	1,177
N652424	BRUSH PAIR		260
N680260	SWITCH		370
N688857	ARMATURE SA		2,503
5170038-98	STATOR	SM18-B1	1,700
5170036-34	SWITCH		902
5170039-26	BRUSH PAIR		170
5170039-58	ROTOR SA		2,479

SERVICE PROMISE



SERVICE HIGHLIGHTS

1. 3-MONTHS SERVICE WARRANTY

Our tool is your lifeline and we understand that. We take care of your tool as our own. Just bring the tool to our Authorized Service Center and we will get in to repair mode. We offer high quality efficient repairs and we promise a 3 months service warranty for tools which are serviced in any of our Authorized Service Center for the same defects.

2. VAST SERVICE NETWORK

Stanley Black & Decker has both Exclusive and Authorised Service Centers (ASC) across the country. There are 370 Authorised Service Centers spread across all parts of India. All these centers are designed to provide best in class service with well-trained Manpower. The quality of Service Centers and the competency of service person is audited every quarter, this ensures robust service quality.

3. TOOL PICK UP SERVICE

In all StanleyBlack&Decker Exclusive Service Centers, we have Tool Pick Up and deliver facility to End User.

4. QUALITY SERVICE

Stanley Black & Decker Exclusive Service Centers are designed to provide best in class service with well-trained manpower.

5. FREE SERVICE CAMPS

Stanley Black & Decker conducts regular free service camps to enable end users to get minor tool repairs & maintenance done free of charge. Also they get the benefit of some special discount on spare parts.

6. SERVICE TRAINING

Stanley Black & Decker knows the importance of equipping all end users with the knowledge of proper tool usage & minor repairs. For this Stanley Black & Decker conducts Free Service & Product Usage Training programs at different sites from time to time.

7. SPARE AVAILABILITY

Stanley Black & Decker uses scientific approach to understand the spare part requirement of each and every service location and maintains all essential spare parts at required stock levels, at every Service Center.



1 YEAR WARRANTY
ON ALL STANLEY POWER TOOLS PRODUCTS

1 YEAR WARRANTY

If your Stanley Power Tool product becomes defective due to faulty materials or workmanship within 12 months from the date of purchase, StanleyBlack&Decker guarantees to replace all defective parts free of charge or, at our discretion, replace the unit free of charge provided that:

- ◆ The product has not been misused.
- ◆ The product has been subject to Fair Wear & Tear.
- ◆ Repairs have not been attempted by un authorized persons.
- ◆ Proof of purchase or warranty card is produced.

**ALWAYS USE
STANLEY™
POWER TOOLS™
GENUINE SPARES ONLY**

To find the nearest Authorised Service Center in your area, please visit our website as mentioned below.

ONLINE RESOURCES

WWW.STANLEYTOOLSINDIA.COM

STANLEY BLACK & DECKER INDIA PVT.LTD
28 Akemps, 3rd Main, 1st Cross, Ashwini Layout,
Koramangala, Intermediate Ring Road,
Bangalore - 560 047

T: +91 80 6791 9900 • F: +91 80 6660 8828

W: www.stanleytoolsindia.com

E: sbd-customercommunications@sbdinc.com

Service Helpline Number – 1860 425 1111

CAT-SW0003_2020_Ver1.0

STANLEY

DEWALT

BLACK+DECKER

